



C071A Detector de CO

Tel.: (21) 3445.8120

E-mail: engezer@engezer.com.br

Site: www.engezer.com.br

(21) 97144.1593 

@engezer 

Engezer Spengezer 

sergio.engezer 



C071A

Carbon Monoxide Detector



NEW Extended sensor life

NEW CO sensor self test

■ Detects CO levels from 0 to 999 ppm

■ Tri-color LED warning indicates
3 concentration levels



- LED blinks GREEN when CO is 2-9 ppm
- LED blinks AMBER when CO is 10-35 ppm
- LED blinks RED with an Audible Alert at 34 ppm indicating dangerous CO levels

■ MAX/CAPTURE continually updates highest CO reading

■ Auto Zero activates upon turn on

■ Backlit display



C071A • Carbon Monoxide Detector



The **CO Detective (C071A)** monitors, records, and alerts you to the presence of dangerous carbon monoxide in ambient air. The visual display constantly indicates precise quantities while the audible and visual alarms respond to various threshold levels.

The C071A has the following features:

- **NEW-** CO sensor self test
- **NEW-** Long life CO sensor
- Preset alarms
 - 3-color warning light
 - Audible alert
- MAX capture
- Low battery indicator
- CO detection to 999 ppm
- Backlit display
- One button auto zero
- Three year limited warranty (Five year expected sensor life)


Carbon Monoxide – (CO) is a lethal poison produced when certain fuels are burned. It can rapidly accumulate even in areas that might appear well ventilated. Because CO is colorless, tasteless, odorless and non-irritating, it can overcome an exposed person without warning. Recognizing early warning signs of CO poisoning is sometimes difficult because early symptoms of CO exposure (headache, dizziness, nausea) are nonspecific and may be mistaken for symptoms of other illnesses and frequently produce weakness and confusion, depriving a person of the ability to seek safety.

Specifications

Range:	0 - 999 ppm
Resolution:	1 ppm
Accuracy:	±(3% of reading + 1 ppm)
Visual:	LCD and LED
Alarms	Visual: <ul style="list-style-type: none">Green 2 - 9 ppmYellow 10 - 34 ppmRed >35 ppm Audible: <ul style="list-style-type: none">>35 ppm increasing frequency w/concentration
Battery:	9V standard alkaline
Ambient Temp:	32° to 104°F (0° to 40°C)

Exposure to CO: Important Numbers To Remember:

- 9 PPM Max allowable exposure for living area (ASHRAE standard)
- 35 PPM Max exposure for 8 hr work day (OSHA)
- 800 PPM Symptoms within 45 minutes - Death within 2 to 3 hrs
- 12,800 PPM Death within 1-3 minutes



Distributed By:



✉ engezer@engezer.com.br

🌐 www.engezer.com.br

☎ 21.3445 8120



**Caso queira adaptar este produto a suas necessidades
usando um sistema de condicionamento, uma
automação ou formando um produto, contate:**

COMERCIAL@ENGEZER.COM.BR

**para mais informações ou preços*



ENGEZER

SOLUÇÕES EM ANÁLISE DE

G A S E S



(21) 97144.1593



@engezer



Engezer Spengezer



sergio.engezer